

MECLIZINE HCL 12.5 MG- meclizine hcl 12.5 mg tablet
Preferred Pharmaceuticals Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCL 12.5

Drug Facts

Active ingredient (in each caplet)

Meclizine HCL 12.5 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting, or dizziness due to motion sickness
- for other uses, consult your doctor

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **adults & children 12 years and over:** 2-4 caplets once daily
- **children under 12 years:** ask a doctor

Other information

- **each caplet contains:** calcium 51 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

Distributed by: **Reliable 1 Laboratoires LLC, Valley Stream, NY 11580**

Repackaged By: Preferred Pharmaceuticals Inc.

www.reliable1labs.com

NDC 68788-6956

Meclizine HCL 12.5 mg

ANTIEMETIC

Meclizine HCl
12.5mg Caplets

Generic for: Bonine

Each caplet contains: Meclizine HCl 12.5mg...
Antiemetic

Pkg Size: Exp Date:
Lot#: Batch#: Ins:
Mfg: Reliable 1 Laboratories LLC
Prod#: Warning

Ask a doctor before use if you have glaucoma, a breathing problem such as emphysema or chronic bronchitis, trouble urinating due to enlarged prostate gland, or if you are taking sedatives or tranquilizers. When using this product you may get drowsy, avoid alcoholic drinks, and be careful when driving a motor vehicle or operating machinery. Alcohol, sedatives and tranquilizers may increase drowsiness. If pregnant or breast-feeding, ask a health professional before use. Keep this and all medications out of the reach of children. Each caplet contains calcium 51 mg. Store at room temperature 15° to 30°C (59° to 86°F). Caplet is oval, white, scored and imprinted with AP 117.



Directions English

Take _____ Tablet(s) _____ time(s) a day



Instrucciones Español:

Cada _____ Tableta(s) _____ vece(s) al día

Meclizine HCl 12.5mg Caplets
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Meclizine HCl 12.5mg Caplets
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Meclizine HCl 12.5mg Caplets
Qty: Insurance NDC:
Lot#: Bat#:

Meclizine HCl 12.5mg Caplets
Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Log
Chart
Billing
Patient

MECLIZINE HCL 12.5 MG						
meclizine hcl 12.5 mg tablet						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-6956(NDC:69618-027)			
Route of Administration	ORAL					
Active Ingredient/Active Moiety						
Ingredient Name		Basis of Strength	Strength			
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)		MECLIZINE HYDROCHLORIDE	12.5 mg			
Inactive Ingredients						
Ingredient Name			Strength			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)						
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)						
MAGNESIUM STEARATE (UNII: 70097M6I30)						
STEARIC ACID (UNII: 4ELV7Z65AP)						
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)						
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)						
Product Characteristics						
Color	white	Score	2 pieces			
Shape	OVAL	Size	13mm			
Flavor		Imprint Code	AP;117			
Contains						
Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:68788-6956	10 in 1 BOTTLE, PLASTIC, Type 0; Not a Combination				

1	NDC:68788-6956-1	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/02/2017	
2	NDC:68788-6956-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/02/2017	



MECLIZINE HCL 12.5 MG CAPLET

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	05/02/2017	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-6956)

